## (19) World Intellectual Property Organization International Bureau





## (43) International Publication Date 26 April 2001 (26.04,2001)

## PCT

## (10) International Publication Number WO 01/28416 A1

(51)	International Pa	tent Classification7:	A61B	5/00		60/179,882	2 February 2000 (02.02.2000)	US
						60/194,126	3 April 2000 (03.04.2000)	US
(21)	International Ap	oplication Number:	PCT/US00/2	6362		60/201,902	4 April 2000 (04.04.2000)	US
						60/195,779	10 April 2000 (10.04.2000)	US
(22)	International F	iling Date:				60/205,709	19 April 2000 (19.04.2000)	US
		25 September 2	2000 (25.09.2	(000		60/206,905	25 May 2000 (25.05.2000)	US
						60/207,089	25 May 2000 (25.05.2000)	US
(25)	Filing Language	:	En	glish		60/207,051	25 May 2000 (25.05.2000)	US
						60/209,921	7 June 2000 (07.06.2000)	US
(26)	Publication Lan	guage:	En	glish		60/212,319	16 June 2000 (16.06.2000)	US
						60/219,069	18 July 2000 (18.07.2000)	US
(30)						60/219,070	18 July 2000 (18.07.2000)	US
	60/155,851	24 September 1999 (2		US		60/224,651	11 August 2000 (11.08.2000)	US
	60/158,553	8 October 1999 (0		US		60/225,101	14 August 2000 (14.08.2000)	US
	60/158,554	8 October 1999 (0		US		60/225,454	15 August 2000 (15.08.2000)	US
	60/158,556	8 October 1999 (0		US		60/228,388	28 August 2000 (28,08,2000)	US
	60/159,285	11 October 1999 (1		US		Not furnished	21 September 2000 (21.09.2000)	US
	60/165,166	12 November 1999 (1		US		Not furnished	22 September 2000 (22,09,2000)	US
	60/165,988	17 November 1999 (1		US			(====,	
	60/167,276	24 November 1999 (2		US	(71)	Applicant: HEA	LTHETECH, INC. [US/US]; Suite	120,
	60/177,011	19 January 2000 (1	9.01.2000)	US		433 Park Point E	Dr., Golden, CO 80401 (US).	

(72) Inventors: MAULT, James, R.; 1580 Blakcomb Court, Evergreen. CO 80439 (US). JOHNSON, Noel; 14586

US


US

US

19 January 2000 (19.01.2000)

19 January 2000 (19.01.2000)

28 January 2000 (28.01.2000)



various software applications. In different embodiments the physiological monitor (12) can include data storage or have memory modules that are accepted by accessory slots (48 and 50).

60/177,016

60/177,009

60/178.979